

# **Sung Kwang Meditech**

# For surgical patient & Rehabilitation Radiology Products

## **Operating Room**

Snow-pac Cases Position pads Gel products Silicon products Several device



## Rehabilitation


Gel wheelchair cushion pad Gel wheelchair back cushion pad



Silver
Gel embo cushion mattress








## **Radiation Protection For:**

Cardiac Cath Lab Interventional Radiology Pain Management














## **Operating Room**

## SNOW PAC

## FOR SURGERY POSITIONING PATIENTS


Snow Pac are soft pads (Available in various sizes and shapes) that are filed with thousands of tiny plastic beads.

Snow Pac provides more stable and comfortable position to patients and saves valuable time for the entire O.R team on every case.

It prevents pressure points (With Gel). It aids faster, easier set-up and repositioning during surgery.

It aids to become comfortable position. It aids better surgery position presentation.

## PRINCIPLE OF SYSTEM



#### **Before**

Fix or put the Snow Pac to the patient's body according to the position you want to form (e.g., Supine Position) and connect the suction line to the entrance of the Snow Pac.

Depending on the intensity of the Snow Pac you want to make, use a suction line to inhale the air in the Snow Pac properly. (If you inhale for about 10 to 15 seconds, vaccum is created inside the Snow Pac and it becomes hardens)



#### After

The inside of the Snow Pac is vacuumed and fixed to the desired shape.

When the suction line is disconnected, the Snow-Pac retains its firm, molded shape and holds the patient securely in position.

After surgery, if user open the entrance of the Snow Pac and press it slightly, air re-enters into the Snow Pac and it becomes soft again and re-useable.

## **EFFECT**

#### Stable

Because Snow-Pacs are molded well, firmly and securely to shape of the patient's body than sandbags, towel rolls and other devices that are merely propped against the patient.

#### Comfortable

The apparent wrinkles are inverted-drawn inward by suction and will not irritate the skin

## **Better Presentation**

With Snow-Pacs the patiant can be positioned exactly as the surgeon desires for excellent presentation of the operative site. Snow-Pacs conform to any shape, so the patient's position does not have to be compromised.

#### More Versatile

With Snow Pacs patient can often be placed in positions that could not be easily achieved using other positioning devices.

#### No Pressure Points (With Gels)

A Snow-Pac supports all parts of the patient's body uniformly when used with gel like a floating mattress.

#### Saves Time

Patients can be positioned much more quickly and easily using Snow Pacs, and if necessary, be repositioned during a case.

## OTHER FEATURES

#### Any Vacuum Source

Use wall suction, aspirator pump or any other convenient O.R. vacuum source.

#### Reusable

As the exterior material is soft and sturdy, Snow Pac can be used for many years as long as they are thoroughly controlled for contamination.

#### Radiolucent

Excellent radio transparency with only minimal and clearly identifiable artifacts.

#### Clean, Disinfect, Sterilize

Can be cleaned with regular soaps and liquid disinfectants or sterilized by gas.

#### Saves Money

Snow Pacs save the cost of sandbags, towel rolls and other positioning devices, and they save time in every case.

## Repair Service

Factory inspection and repair service is available at nominal cost after warranty period.

Full One Year Warranty.

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

# Sung Kwang Meditech < €

## **INDICATION**

## KIDNEY POSITION, LATERAL POSITION







A-1 type A-1-1 type



A-1-2 type A-1-3 type


Easily up in nephrectomy (A type), and also for handicapped person with cerebral palsy.(A-1 type).



A type	73(L) * 100(W)cm
A-1 type	73(L) * 100(W)cm
A-1-1 type	90(L) * 100(W)cm
A-1-2 type	73(L) * 100(W)cm(U)
A-1-3 type	90(L) * 100(W)cm(U)

## **THYROID POSITION**





Provides hyperextension, prevents postoperative discomfort.

B type	72(L) * 88(W)cm
B-1 type	118(L) * 88(W)cm

## **HEAD STABILIZATION POSITION**





Stabilizes head in eye, facial or dental surgery.

C type	30(L) * 40(W)cm	
--------	-----------------	--

## **SUPINE POSITION**








Supports and eliminates back pains during long procedures.
Prevents foot drop splint in

D type 30(L) \* 55(W)cm

Emergency.

## **VARIOUS FULL BODY POSITION**



E type

E type	165(L) * 72(W)cm

## **POSITION PADS**




Special sponge(Inner) Good positioner Anti-bedsore effect Very soft, Good elasticity Good endure.


Poly urethane vinyl(Outer) Water resistant.

#### SUPINE

Head, foot pad	
SK-1	22(L) * 16(W) * 11 (5.5)(H)cm
Head pad	
SK-1-1	22.8(O.D) * 11.5(I.D) * 5(H)cm
Sh oulder pad	
SK-2	23(L) * 14(W) * 7(H)cm



SK-2



Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## Autoclave Instrument Cases

Instrument Sterlization Cases are designed to protect fine surgical instruments and various scopes during sterilization and storage. Our cases are made of elastic special materials for flexible handling and it is transparent so that the inside can be seen during autoclaving. There are fine circular holes in the upper(Lid) and lower(Base) of the case to help circulate steam during sterilization.

Silicon Embo Mat or Bar is placed on the bottom and prevents instruments from moving freely.

- This sterilizing instrument tray is designed to withstand repeated exposure to 134 degrees (Steam / EO / Plasma steralizable).
- There are a variety of designs and sizes suitable for device applications such as micro instrument, Laparoscope, Telescope, and Endoscope.
- For a detailed description of each model, please click on the model name or the More Product button at the bottom of the page.

## Micro Instrument Case(26(L) x 17(W))


SK-19(2F)	26(L) x 17(W) x 4(H) cm
SK-19-a(1F)	26(L) x 17(W) x 2.5(H) cm





## Scope Case(Telescope, Laparoscope)

SK-20-1 (Laparoscope Case)	$48(L) \times 9(W) \times 5(H) \text{ cm}$
SK-20-2 (Telescope Case)	$28(L) \times 7(W) \times 5(H) \text{ cm}$



## Micro Instrument Case(1F)

SK-19-S	$16(L) \times 6(W) \times 3(H) \text{ cm}$
SK-19-1	$25(L) \times 5(W) \times 2.5(H) \text{ cm}$
SK-19-3	$30(L) \times 10(W) \times 2.5(H) \text{ cm}$



Micro	Instrumen	t Case	11F 2FI

SK-19-5(2F)	39(L) x 27(W) x 4(H) cm
SK-19-5-a(1F)	38(L) x 26(W) x 2.5(H) cm
SK-19-5-b(1F)	$39(L) \times 27(W) \times 12(H) \text{ cm}$





## Scope Case(Long, Big size)


SK-20-3 (Endoscope)	37(L) x 15(W) x 7(H) cm
SK-20-4(Laparoscopic)	$60(L) \times 20(W) \times 6(H) \text{ cm}$
SK-20-5(Long scope)	72(L) x 15(W) x 10(H) cm
SK-21-1 (Laparoscopic)	64(L) x 25(W) x 15.5(H) cm






## Ophthalmic Instrument Case(Silicon color inside: blue)

SK-19-a(1F)	26(L) × 17(W) × 2.5(H) cm
SK-19-S	$16(L) \times 6(W) \times 3(H) \text{ cm}$
SK-19-5-a(1F)	$38(L) \times 26(W) \times 2.5(H) \text{ cm}$





Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## CASES

## INSTRUMENT STERILIZATION TRAYS USE CASES

The instrument sterilization case photos below are examples of the use of cases that were actually applied in storage or sterilization processes by various departments such as surgery and internal medicine.




SK-19(2F)26(L) x 17(W) x 4(H) cm



SK-20-3 37(L) x 15(W) x 7(H) cm



SK-19-a(1F)26(L) x 17(W) x 2.5(H) cm



SK-19-5-b(1F)39(L) x 27(W) x 12(H) cm




SK-21-1 64(L) x 25(W) x 15.5(H) cm



SK-19-3  $30(L) \times 10(W) \times 2.5(H) cm$ 



SK-20-3 37(L) x 15(W) x 7(H) cm



SK-19-125(L) × 5(W) × 2.5(H) cm



SK-20-2 28(L) x27(W) x 5(H) cm



SK-19-5-a(1F) 38(L) x 26(W) x 2.5(H) cm

## Strengths of Sungkwang Meditech trays:

- Cases are transparent. (Users can see instruments during autoclaving)
- Cases are light but strong. (We do not use stainless, steel materials. But, use special strong materials)
- There are fine circular holes in the upper(Lid) and lower(Base).
   (It helps circulate steam during sterilization)
- Silicon Embo Mat or Bar is available (It is placed on the bottom and prevents instruments from moving freely).
- It is possible to assemble freely based on the shape of the instrument.



SK-21-1 64(L) x 25(W) x 15.5(H) cm



SK-20-3 37(L) x 15(W) x 7(H) cm



SK-20-5  $72(L) \times 15(W) \times 10(H) cm$ 



SK-20-4  $60(L) \times 20(W) \times 6(H)$  cm



SK-20-4  $60(L) \times 20(W) \times 6(H)$  cm



SK-20-3 37(L) x 15(W) x 7(H) cm



SK-20-3 37(L) x 15(W) x 7(H) cm



SK-20-3 37(L) x 15(W) x 7(H) cm



SK-20-4  $60(L) \times 20(W) \times 6(H)$  cm

## **Operating Room**

## CASES

# NEEDLE COUNTER & SHARPS COLLECTOR

Inner: magnet
For surgery in OR

It aids to count needle thoroughly.



## **NEEDLE HUNTER**

It finds needles by rolling on the floor




(External)

		(External)
SK-18 (S)	14(L) * 4(W) * 1.5(H)cm	
SK-18-1(L)	17(L) * 8(W) * 2(H)cm	
SK-13-2	100(L) * 30(W)	

## MICRO INSTRUMENT ONE FLOOR CASE

SK-18



(External)

SK-19-a(1F) 26(L) \* 17(W) \* 2.5(H)cm

## MICRO INSTRUMENT TWO FLOOR CASE



For microsurgical and other delicate instruments, for maximum protection and flexible handling, made of resilient polymer.

Protruded silicon embomat is placed on the bottom prevents instrument to move freely.

Cases are designed to withstand repeated exposureto 134°C steam temperature.

Steam / EO / Plasma Sterilizable

(External) SK-19(2F) 26(L) \* 17(W) \* 4(H)cm

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

# Sung Kwang Meditech **C**€

## MICRO INSTRUMENT ONE FLOOR CASE



For microsurgical and other delicate instruments, for maximum protection and flexible handling, made of resilient polymer.

Protruded silicon embomat is placed on the bottom prevents instrument to move freely.

Cases are designed to withstand repeated exposure to 134°C steam temperature.



Steam / EO / Plasma Sterilizable




		(External)
SK-19-S	16(L) * 6(W) * 3(H)cm	
SK-19-1	25(L) * 5(W) * 2.5(H)cm	
SK-19-3	30(L) * 10(W) * 2.5(H)cm	

## **Operating Room**

## MICRO INSTRUMENT ONE FLOOR CASE






Steam / EO / Plasma Sterilizable

(External)

SK-19-5-a(1F) 38(L) \* 26(W) \* 2.5(H)cm SK-19-5-b(1F) 39(L) \* 27(W) \* 12(H)cm


## MICRO INSTRUMENT TWO FLOOR CASE



For microsurgical and other delicate instruments, for maximum protection and flexible handling, made of resilient polymer.

Protruded silicon embomat is placed on the bottom prevents instrument to move freely.

Cases are designed to withstand repeated exposure to 134°C steam temperature.



Steam / EO / Plasma Sterilizable

SK-19-5(2F) 39(L) \* 27(W) \* 4(H)cm

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

# Sung Kwang Meditech **C**€



For Laparoscope.

Silicon bar is placed to prevent laparoscope to move freely.

Cases are designed to withstand repeated exposure to 134°C steam temperature.

Steam / EO / Plasma Sterilizable

(External)

SK-20-1 48(L) \* 9(W) \* 5(H)cm

## **TELESCOPE CASE**



#### For Telescope.

For Arthroscope Silicon bar is placed to prevent laparoscope to move freely

Cases are designed to withstand repeated exposure to 134°C steam temperature.


Steam / EO / Plasma Sterilizable

(External)

SK-20-2 28(L) \* 7(W) \* 5(H)cm

## **Operating Room**

## **ENDOSCOPE INSTRUMENT CASE**



For Endoscope Instrument.

Silicon bar is placed to prevent laparoscopic instrument to move freely

Cases are designed to with stand repeated exposure to 134°C steam temperature.

SK-20-3 is used for endoscope camera case.

Steam / EO / Plasma Sterilizable

(External)
SK-20-3 37(L) \* 15(W) \* 7(H)cm

## LAPAROSCOPIC INSTRUMENT CASE



Silicon bar is placed to prevent laparoscopic instrument to move freely

Cases are designed to withstand repeated exposure to 134°C steam temperature.

Steam / EO / Plasma Sterilizable

It contains 2pcs or more of laparoscopic instrument.

(External) 60(L) \* 20(W) \* 6(H) cm

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

SK-20-4

# Sung Kwang Meditech < €

## LONG SCOPE INSTRUMENT CASE







Sterilization cases used during laparoscopic long scope and robotic instrument surgery.

Silicon bar or mat is placed to prevent movement of instruments used in obstetrics, urology, otorhinolaryngology, surgery and robotic surgery.

Two or more laparoscopic instruments can be inserted.

Cases are designed to withstand repeated exposure to 134°C steam temperature.

Steam / EO / Plasma Sterilizable

(External)

SK-20-5

72(L) \* 15(W) \* 10(H)cm

## LAPAROSCOPIC INSTRUMENT CASE



Silicon bar is placed to prevent laparoscopic instrument to move freely.

Cases are designed to withstand repeated exposure to 134°C steam temperature.



Steam / EO / Plasma Sterilizable

It contains 10pcs of laparoscopic instrument.

(External)


SK-21-1 64(L) \* 25(W) \* 15.5(H)cm

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **OPHTHALMIC INSTRUMENT CASE**



For microsurgical and other delicate instruments, for maximum protection and flexible handling, made of resilient polymer.

Protruded silicon embomat is placed on the bottom prevents instrument to move freely.

Cases are designed to withstand repeated exposure to 134°C steam temperature.

Steam / EO / Plasma Sterilizable

(External)

		(=:::::::)
SK-19-S	16(L) * 6(W) * 3(H)cm	
SK-19-a (1F)	26(L) * 17(W) * 2.5(H)cm	
SK-19-5-a (1F)	38(L) * 26(W) * 2.5(H)cm	

## **BIOPSY CASE**

Rt Level 1

Rt Level 2

Rt Level 3

Rt deep margin Rt rotter's

Rt. axillary

Rt. sentinal

R2	Delphain	Pyramidal	L2
R3			L3
R. Jungular	R. Thyroid	L. Thyroid	L. Jungular
R4			L4
R5	R.CN	L.CN	L5
R. Para. T			L. Para. T

SK-21-a-1 (for Thyroid)

Rt Level 1

Rt Level 2

Rt Level 2

	٠	R.Para	n.or	L.CN	Para.T
		R5	R.CN	L.CN	L5
		R4			L4
-		R.Jugular	R.Thyroid	L.Thyroid	Ngular
Total Son		R3			L3
		R2	Delphian	Pyramidal	L2
			1000 mm		100





Material: stainless steel with marked L/N number.

Use: for specimen storage

order made available

(External)

SK-21-a-1	for Thyroid	16.5(W)	* 19(L) * 3.2(H)
-----------	-------------	---------	------------------

SK-21-a-2 for breast 14.5(W) \* 15(L) \* 3.2(H)

**SK-21-a-3** for stomach 31.5(W) \* 8.5(L) \* 3.2(H)

SK-21-a-4 for biliary and Pancreas 30(W) \* 8.5(L) \* 3.2(H)

1	2	3	4	5	6	7	4sa	1 o lo	14
8	9	10	11	11p	11d	12	14v	450	40

SK21-a-3 (for stomach)

5	6	8	12a	12b	12c	12h	12p
13	14a	14v	16	16a2	16b1	17	

SK-21-a-4 (for biliary and Pancreas)





Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **GEL PRODUCTS**

Capillary closure is at the root of ulcer formation.

The blockage or damage of capillaries prevents the natural maintenance of healthy skin.

In operation, the use of proper positioning devices prevent excessive pressure build-up and capillary closure.

Evenly distribute weight and provide constant support beneath patients.

Gel products are cost effective, latex free, fast & easy cleaning, radiolucent tissue equivalent.



## DOUGHNUT GEL HEAD PAD









Doughnut gel head pad provides excellent protection when the patient is positioned for surgery by supine position.

SK-22(Adult)	20(D) * 4.5(H)cm
SK-22-3(Child)	15(D) * 3.5(H)cm
SK-22-4(Baby)	9.2(D) * 2.4(H)cm

## C-DOUGHNUT GEL HEAD PAD







C-doughnut gel head pad provides clear air passage way when the patient is positioned for surgery by lateral or prone position.

SK-22-1 (Adult)	21(D) * 4.5(H)cm
SK-22-1-1 (Child)	15(D) * 3.5(H)cm
SK-22-1-2(Baby)	9.2(D) * 2.4(H)cm

# GEL OPHTHALMIC HEADREST



SK-22-a



SK-22-b

It was designed for stable head placement for all ophthalmic and oral or facial procedures.

Also provides patient with comfort while under local anesthesia, minimizing patient movement.

It was also designed for surgeon's functional arm support.

SK-22-a (Adult)	31(L) * 27(W) * 10(H)cm
SK-22-b(Child)	31(L) * 25(W) * 7.3(H)cm

# GEL OPHTHALMIC CRADLE HEADREST




It was designed for ENT, plastic surgery ,all ophthalmic cases.

It helps prevent risk of alopecia especially during long surgery.

Cradling of patient s head provides stability.

SK-22-c(Adult) 23(L) \* 23(W) \* 5.7(H)cm SK-22-d(Child) 19(L) \* 21.6(W) \* 3.8(H)cm

## **GEL HEAD PAD**



It provides optimum stability of patient s head while in the supine position.

Can also be used for position and protect the knee or calf.

SK-22-e(Adult) 18(L) \* 18(W) \* 8(H)cm SK-22-5(Baby) 16(L) \* 12(W) \* 1(H)cm

## PRONE GEL HEAD PAD





It provides clear air passage way when the patient is positioned for surgery by prone position.

SK-22-2	27(L) * 24(W) * 15/12(H)cm
SK-22-2-1	27(L) * 21(W) * 8(H)cm

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

# Sung Kwang Meditech **C**€



Gel body pad provides complete pressure reduction and shares across entire table surface

SK-23-2	84(L) * 50(W) * 1.3(H)cm
SK-23	160(L) * 50(W) * 1.3(H)cm
SK-23-1	183(L) * 50(W) * 1.3(H)cm

GEL BODY PAD 3-PIECE SET



This set includes head, torso and foot section pads for use with segment tables.

SK-23-1-1 Gel body pad 3-piece set(a+b+c)	
SK-23-1-1a(Head)	50(L) * 23(W) * 1.3(H)cm
SK-23-1-1b(torso)	100(L) * 50(W) * 1.3(H)cm
SK-23-1-1c(foot)	50(L) * 50(W) * 1.3(H)cm


## **GEL INCUBATOR PAD**



It provides gentle pressure for neonatal patients in the NIC units.
It is designed for the isolette beds.

SK-23-5	60(L) * 33(W) * 1.3(H)cm
SK-23-5-1	60(L) * 40(W) * 1.3(H)cm

## **GEL CHAIR PAD**



Gel chair pad is used underneath prominence area in a variety of applications.

SK-24	42(L) * 42(W) * 1.3(H)cm
SK-24-2	38(L) * 38(W) * 1.3(H)cm
SK-24-2-1	40(L) * 40(W) * 1(H)cm
SK-24-2-2	40(L) * 45(W) * 1(H)cm
SK-24-3	32(L) * 32(W) * 1.3(H)cm

Gel embo chair pad is used for iliac crest, under heels and elbows. Is used as kidney rest, axillary roll while patient in lateral position.

Gel embo body pad provides complete pressure reduction and shears cross entiret ablesur face.

Gel embo chai	r pad	
SK-24-1	40(L) * 45(W) * 1.6(H)cm	
Gel embo body pad		
SK-23-3	160(L) * 45(W) * 1.6(H)cm	
Gel embo half body pad		
SK-23-4	80(L) * 45(W) * 1.6(H)cm	

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

SK-23-3

Contact to E-mail: skmeditech@skmeditech.com


## **Operating Room**



Gel knee pad is used for OBGY surgery in lithotomy position. It provides against nerve injury.

SK-25	40(L) * 24(W) * 1(H)cm
SK-25-1	50(L) * 52(W) * 1(H)cm

## **GEL LATERAL PAD GEL**



Gel lateral pad is designed to accommodate both the shoulder and provides exceptional pressure relief and nerve protection.

Gel thyroid pad is designed for thyroidectomy. It provides patient with gentle pressure while long surgery with hyperextension position.

The tissue friendly feels make it very comfortable.

SK-26	70(L) * 50(W) * 12(H) / 0.8cm
SK-26-2	45(L) * 30(W) * 7(H)cm

GEL PATIENT POSITIONER



It is good for any procedure. versatile positioner.

SK-27-a(Small)	25(L) * 13(W) * 3(H)cm
SK-27-b(Large)	35(L) * 12(W) * 3(H)cm
SK-27-c(Extra long)	46(L) * 11(W) * 3(H)cm

# GEL PRONE CHEST PAD SK-27-d SK-27-e

They were designed for uniformly conform to a patient s shoulder to chest area, with rounded edges for the axilla.

They provide optimum alleviating pressure on the thorax area.

SK-27-d(Right)	70/58(L) * 20(W) * 5(H)cm
SK-27-e(Left)	70/58(L) * 20(W) * 5(H)cm

## **GEL SHOULDER PAD (CHEST)**



Semi-circular design provides maximum pressure protection while patient is in supine position.

SK-27, 27-4 can be used under the knee, the foot against the board.

While patient is in lateral position, SK-27 can be used for the shoulder protection.

In thyroidectomy , SK-27-4 is used for neck hyperextension.

while patient is in prone position SK-27-1, SK-27-2 can be used under the chest.

SK-27	47(L) * 10(W) * 5(H)cm
SK-27-1	47(L) * 15(W) * 8(H)cm
SK-27-2	47(L) * 15(W) * 12(H)cm
SK-27-3	25(L) * 15(W) * 8(H)cm
SK-27-4	52(L) * 10(W) * 8(H)cm

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

# Sung Kwang Meditech C€

## **GEL HEEL & WRIST PAD**







Gel heel & wrist pad provides safety and protects heel & wrist area body prominence.

SK-28	20(L) * 11(W) * 7(H)cm

## **GEL HEEL SUPPORTER**





**GEL HEEL CUP** 

It protects heel area without hook and loop attachment.

It protects the patient s Achilles tendon area.

It supports heels. Appropriate for recovery.

SK-28-1	16(L) * 8.5(W) * 5(H)cm
SK-28-2	17(L) * 18(W) * 1.3(H)cm

## **GEL HEEL PROTECTOR**





It supports heels appropriately for recovery.

## **GEL ARMBOARD PAD**





SK-28-3 17(L) \* 23(W) \* 1.3(H)cm

It is applied for supine position for protection of bony prominence area.

## GEL LATERAL ARMBOARD PAD





It is applied for lateral position.

55(L) \* 15(W) \* 1.3(H)cm

SK-29

Designed to provide arm support and stability.

SK-29-1 (Small)	41(L) * 15(W) * 5(H)cm
SK-29-1a (Large)	55(L) * 15(W) * 6(H)cm

## GEL WRIST AND ANKLE PROTECTOR GEL ARMBOARD BINDER





It is used for nerve protection in fastening wrist and ankle.

rasteriirig wrist ariu arikie.
SK-17-a Gel Wrist protector

	20(L)	0(11)	1 (11) CITI	
SK-17-b Gel Ar	nkle prot	ector		
	33(L)	* 6(W) *	1(H)cm	

#### SK-17-c Gel Armboard binder

21(L) \* 6(W) \* 1(H)cm

26(L) \* 6(W) \* 1(H)cm

GEL WILSON FRAME COVER (2 PIECE SET)







It provides comfort and distributes pressure in prone position spine surgery.

SK-17-1	75(L) * 24.5(W) * 1.3(H)cm
SK-5-1a	52(L) * 31(W) * 1.3(H)cm

GEL RELTON FRAME PAD (4 PIECE SET)





It provides comfort and safety in prone position spine surgery.

SK-17-1-1 37(L) \* 17(W) \* 14(H) / 1.3(thick)cm

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **Operating Room**

## **GEL FOREARM PROTECTOR**





It is used for nerve protection of arm and elbow in supine position surgery.

SK-17-2 Gel forearm protector(L)

46(L) \* 21(W) \* 0.8(H)cm

SK-17-2-1 Gel forearm protector(S)

38(L) \* 11.5(W) \* 0.8(H)cm

## **GEL BODY BELT**





It helps safety, stability and tissue protection during surgery.

SK-17-3 50(L) \* 8.5(W) \* 0.8(H)cm

## **GEL SHOULDER PROTECTOR**



It is designed for patient in trendelenburg down position to protect shoulder areas.

SK-17-3-1

SK-17-3-1

SK-17-5

16(L) \* 15(W) \* 2(H)cm

## **GEL ALLEN PAD**







It is used lithotomy position for nerve protection.

SK-17-4-1 68(L) \* 38(W) \* 1(H)cm

# GEL ANKLE HOLDER (2 PIECE SET)



It is used in lithotomy position for nerve protection.

GEL SNOW PAC A-1 type COVER





Designed for A-1 type snow pac. It provides comfort.

40(L) \* 3(W) \* 1(H)cm

SK-17-6

100(L) \* 73(W) \* 1(H)cm

**GEL SNOW PAC B type COVER** 





Designed for B type snow pac.

**GEL SNOW PAC C type COVER** 





Designed for type snow pac.

SK-17-6-2

SK-17-6-1

30(L) \* 40(W) \* 1(H)cm


88(L) \* 72(W) \* 1(H)cm

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## SILICON



## **SILICON TUBE**

## SILI GAS LINE (SK-31-4-3)



#### SILI SUCTION TUBE (SK-31-4-4)

In neurosurgery , used for suction tube.
It provides elasticity, flexibility

SK-31-4-3	5.0(I.D) * 7.0(O.D) mm
SK-31-4-4	6.5(I.D) * 11.0(O.D)mm

## PATIENT TRANSPORT BOARD



The fully equipped patent transport board is ideal for transport when patients need to be transferred from MRI, operating table, bed, etc.

#### SIZE:

SK-MTB80	80 x 35cm
SK-MTB140	140 x 45cm
SK-MTB183	183 x 55cm

## RADIATION SHIELDING X-RAY CURTAINS FOR SCANNER



Radiation Shielding Curtains for security, food scanners. The protection range includes lead equivalent values of 0.125, 0.25, 0.375, 0.5mm depending on the level of protection required.

Customer made.



## **CUSHION PAD**

Multi-Purpose position pillow for hospital operating room.

It is easy to use for short-term surgery like Hemorrhoid surgery



Inner: soft cotton cushion





SK-13	40.5(L) * 17(H) * 15.5(W)cm	Color: White
SK-14	200(L) * 14(W)cm	
SK-14-1	70(L) * 7(W)cm	
SK-CU-CP-L	45(L) * 70(W) cm	
SK-CU-CP-S	40(L) * 60(W) cm	

Custom made available

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## GEL WHEELCHAIR CUSHION PAD WITH COVER


It was made with a high-quality polyurethan gel and PU foam.


The inner gel material is highly resistant to bacteria and bodily fluids, and can be easily cleaned with warm soapy water or a disinfectant. Also, it helps dissipate heat buildup.

Gel Wheelchair cushion pad offers excellent pressure reduction & distribtuion, great comfort, and positioning stability. It can be applied for individuals with a history of skin breakdown or those who suffer from pressure sores. Feel free to enjoy our products below.

## **GEL WHEELCHAIR CUSHION 2"**


## **GEL WHEELCHAIR CUSHION 3"**






SK-1616-2	16(L) * 16(W) * 2(H) Inch
SK-1816-2	18(L) * 16(W) * 2(H) Inch
SK-1818-2	18(L) * 18(W) * 2(H) Inch
SK-1616-3	16(L) * 16(W) * 3(H) Inch
SK-1816-3	18(L) * 16(W) * 3(H) Inch

# GEL WHEELCHAIR CUSHION CURVED 3.5"









SK-C1616-3.5	16(L) * 16(W) * 3.5(H) Inch
SK-C1816-3.5	18(L) * 16(W) * 3.5(H) Inch
SK-C1818-3.5	18(L) * 18(W) * 3.5(H) Inch
SK-MC1616-4	16(L) * 16(W) * 4(H) Inch
SK-MC1816-4	18(L) * 16(W) * 4(H) Inch
SK-MC1818-4	18(L) * 18(W) * 4(H) Inch

## GEL WHEELCHAIR EMBO CUSHION 2"









SK-E1616-2	16(L) * 16(W) * 2(H) Inch
SK-E1816-2	18(L) * 16(W) * 2(H) Inch
SK-E1818-2	18(L) * 18(W) * 2(H) Inch
SK-E1616-3	16(L) * 16(W) * 3(H) Inch
SK-E1816-3	18(L) * 16(W) * 3(H) Inch
SK-E1818-3	18(L) * 18(W) * 3(H) Inch

## GEL WHEELCHAIR EMBO CURVED CUSHION 3.5"



## GEL WHEELCHAIR EMBO MORE CURVED CUSHION 4"



SK-EC1616-3.5	16(L) * 16(W) * 3.5(H) Inch
SK-EC1816-3.5	18(L) * 16(W) * 3.5(H) Inch
SK-EC1818-3.5	18(L) * 18(W) * 3.5(H) Inch
SK-EMC1616-4	16(L) * 16(W) * 4(H) Inch
SK-EMC1616-4 SK-EMC1816-4	16(L) * 16(W) * 4(H) Inch 18(L) * 16(W) * 4(H) Inch

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com


Contact to E-mail: skmeditech@skmeditech.com

## GEL WHEELCHAIR BACK CUSHIONS WITH COVER

Polyurethane gel and PU foam helps comfort and durability for long-term.

The embossed gel feature aids comfort for long-lasting back and lumbar support in long-term seating environments.

## EMBO GEL BACK CUSHION(A type)



WHEELCHAIR BACK CUSHION COVER


SK-WB-cover




SK-B1417-a	14(L) * 17(W) * 2(H) Inch
SK-B1617-a	16(L) * 17(W) * 2(H) Inch
SK-B1817-a	18(L) * 17(W) * 2(H) Inch
SK-B2017-a	20(L) * 17(W) * 2(H) Inch

SK-B1417-b	14(L) * 17(W) * 2(H) Inch
SK-B1617-b	16(L) * 17(W) * 2(H) Inch
SK-B1817-b	18(L) * 17(W) * 2(H) Inch
SK-B2017-b	20(L) * 17(W) * 2(H) Inch

## EMBO GEL BACK CUSHION (B type)







SK-B1417-c	14(L) * 17(W) * 2(H) Inch
SK-B1617-c	16(L) * 17(W) * 2(H) Inch
SK-B1817-c	18(L) * 17(W) * 2(H) Inch
SK-B2017-c	20(L) * 17(W) * 2(H) Inch

## GEL PRODUCTS-ACCESSORY

## EMBO GEL WHEELCHAIR ARMBOARD PAD





Adhesive tape attached in bottom

RH-3 23(L) \* 7(W) \* 1.6(H) cm

### WHEELCHAIR CUSHION COVER







Bottom cover is made by non slip material.

Side cover is made by net shaped material.

Top cover is made by very soft, skinlike material.

SK-W-cover

## GEL TOILET COVER / GEL COMMODE SEAT







It is very effective for users with existing skin breakdown.

RH-4(Dual)+cover	39(L) * 10(W) * 1(H)cm
RH-6 (close type)	45(L) * 45(W)cm
RH-6-1 (open type)	45(L) * 46(W)cm

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## SNOW PAC



It is used for lugeric patient and unpositioned handicapped person. Make position easy and fast. Then, suction equipment is used.

RH B type	83(L) * 108(W)cm
HB-102a	33cm

## GEL HORSE S EQUESTRIAN PAD

RECTANGULAR ROUND





SK-EQ-a Rectangular shape with cover
36(L) * 50(W) * 1(H) cm
SK-EQ-a cover Rectangular shape cover only
36(L) * 50(W) * 1(H) cm
SK-EQ-b Round shape with cover
40(L) * 55(W) * 1(H) cm
SK-EQ-b cover Round shape cover only
40(L) * 55(W) * 1(H) cm


## **SILVER PRODUTS**

# GEL EMBO CUSHION PILLOW / MATTRESS WITH COVER (Memory foam + embo gel)

Characteristics:

C-spine supporting effect is developed by medical basis.

As humanengineering structure, it softly supports head and provides comfortable.





Outer: 100% cotton velvet with silvercholoid coating Inner: cotton 75% polyester 25%

Materials: slowly recovery

polyurethane foam 100%

+ embo gel pad

Color: silver, ivory

Kind: therapeutic, antibacterial,

deodorizational.

RH-1	50(L) * 33(W)cm
RH-2 (twin)	RH-2-1 (full)
RH-2-3 (queen)	RH-2-4 (king)
Cover Only	

RH-2-cover RH-2-1-cover RH-2-3-cover RH-2-4-cover

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## Several Types of Aprons For Radiation Protection





SK-15 (Buckle type)

Exposure to radiation is fatal to the medical professional and the human body.

Here are all the radiation protection products you need for protection from radiation exposures.

We manufacture a comprehensive range of high-quality, lightweight, and cost-effective products for medical customers around the world.

Inner : Natural rubber-based Lead flexible wearing comfort and best.

Outer: nylon fabric, etc satisfies the workmanship hygienic requirements and the demands of medical use.

## Pb Equivalent:

0.25 / 0.35 / 0.50 mmPb Available

±2~4cm, unit:cm L:Length, W:width





SK-15-1 (Coat type)

Buckle type Coat type (Front/back) X-band type Vest/Skirt type panorama type

Buckle type

X-band type Vest/Skirt type panorama type

Coat type (Front/back)

	9	5	N	Λ		-	Х	Ĺ
	L	W	L	W	L	W	L	W
۱؛	93	58	98	60	103	63	108	66
	96/86	53	99/89	55	105/95	57	106/96	60
ا؛	94	55	96	57	100	60	104	62
؛	59/50	49/42	60/52	51/43	61/53	53/46	63/54	56/49
ا؛	82	47	85	50	88	53	91	55

**MALE** 

**FEMALE** 

S		M		L		XL	
L	W	L	W	L	W	L	W
84	50	89	52	95	56	99	58
85/75	47	91/81	49	95/85	52	100/90	54
85	51	90	53	96	56	100	60
55/46	46/38	56/48	48/40	57/49	51/43	59/50	54/46
76	43	81	47	84	50	87	53





SK-15-4 (X-band type)



SK-15-5 (Buckle X-band type)



SK-15-6 (X-buckle type)

## DROP OFF





Remove your apron quickly and easily with shoulder valcro.

Available to SK-15, SK-15-1, SK-15-4, SK-15-5

## **Several Types of Aprons For Radiation Protection**







Thyroid shield is an essential to protect the thyroid gland from radiation exposure. (SK-16, SK-16-a, SK-16-b)

Also, We provides thyroid shield hygiene covers for cleanliness. (SK-601, 602)

Lead gloves series provide full protection from finger to arm (SK-500, 500-a, 500-b)

Find a wide variety of radiation protection products.

#### Pb Equivalent:

0.25 / 0.35 / 0.50 mmPb Available





Our Lead cap and gonad shield are **lightweight** and **comfortable**.

An adjustable velcro in the back is attached for a **customizable fit**.

-Two types for cap : SK-16-4 / SK-16-4-a -Two types for gonad : SK-16-5 / SK-16-5-a

-Order Types: Male, female -Protection: 0.25mm front

**-Pb Equivalent :** 0.25 / 0.35 / 0.50 mmPb Available

Custom-made available.

Lead cap	SK-16-4 (Basic Model)
Lead cap	SK-16-4-a (Cool wear mositure-wicking fabric)
Lead gonad	shield SK-16-5
Lead gonad	shield SK-16-5-a

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **Non Lead Aprons**

## Several Kinds of X-Ray Apron For Surgical Patient





SKN-15 (Buckle type)

Exposure to radiation is fatal to the medical professional and the human body.

Here are all the radiation protection **Lead-Free** products you need for protection from radiation exposures.

We manufacture a comprehensive range of high-quality, lightweight, and cost-effective products for medical customers around the world.

Inner: Natural rubber-based Lead flexible wearing comfort and best.

Outer: Water Resistant, Abrasion Resistant,

Cool wear

Pb Equivalent:

0.25 / 0.35 / 0.50 mmPb Available

±2~4cm, unit∶cm L∶Length, W∶width





SKN-15-1 (Coat type)

Buckle type
Coat type (Front/back)
X-band type
Vest/Skirt type
panorama type

Buckle type

X-band type Vest/Skirt type panorama type

Coat type (Front/back)

	9	5	N	Λ		-	Х	Ĺ
	L	W	L	W	L	W	L	W
۱؛	93	58	98	60	103	63	108	66
	96/86	53	99/89	55	105/95	57	106/96	60
ا؛	94	55	96	57	100	60	104	62
؛	59/50	49/42	60/52	51/43	61/53	53/46	63/54	56/49
ا؛	82	47	85	50	88	53	91	55

**MALE** 

**FEMALE** 

S		M		L		XL	
L	W	L	W	L	W	L	W
84	50	89	52	95	56	99	58
85/75	47	91/81	49	95/85	52	100/90	54
85	51	90	53	96	56	100	60
55/46	46/38	56/48	48/40	57/49	51/43	59/50	54/46
76	43	81	47	84	50	87	53





SKN-15-4 (X-band type)

DROP OFF





Remove your apron quickly and easily with shoulder valcro.

Available to SKN-15, SKN-15-1, SKN-15-4, SKN-15-5





SKN-15-5 (Buckle X-band type)



SKN-15-6 (X-buckle type)

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

Various types of aprons available.

Thyroid shield is an essential to protect the

## Several Kinds of X-Ray Apron For Surgical Patient










Color type

Dia Navy







SKN-15-3-1 (Panorama type)




SKN-16

SKN-15-3 (Half type)











Dia Orange



Dia Chocolate

Pearl Purple



Black Dot

Honeycomb Grey







SKN-16-4-a





Our Lead-Free cap and gonad shield are lightweight and comfortable.

An adjustable velcro in the back is attached for a customizable fit.

-Two types for cap : SKN-16-4 / 16-4-a -Two types for gonad : SKN-16-5 / 16-5-a

-Order Types: Male, female -Protection: 0.25mm front

-Pb Equivalent: 0.25 / 0.35 / 0.50 mmPb Available

Custom-made available.

Lead Free cap SKN-16-4 (Basic Model)

**Lead Free cap** SKN-16-4-a (Cool wear mositure-wicking fabric)

Lead Free gonad shield SKN-16-5 Lead Free gonad shield SKN-16-5-a

Sung Kwang Meditech Co.,Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **Radiation Protection Accessories**



Apron holder will accommodate up to 2-10 aprons.

Unit is ideal if wall space is limited. It is designed to prevent declining on side in moving.

Solid stainless steel construction prevents rust in long-term use. High durability under heavy use.

Can be assembled after delivering.

	SK-16-6	up to 10
	SK-16-6-a	up to 5
	SK-16-6-1	up to 2
	SK-16-6-2	up to 5

# FOR PREGNANT WOMAN BARRIER



# TABLE LEAD / NON-LEAD CURTAIN

Lead curtain provides separated radiation shielded space by simply drawing.

- protection: 0.5 mmpb
- Order made
- Protection for pregnant woman barrier: 0.5 mmpb
- Order made

SK-16-6	71(L) * 63(W) * 140(H) cm
SK-16-6-a	50(L) * 63(W) * 140(H) cm
SK-16-6-1	20(L) * 50(W) * 25(H) cm
SK-16-6-2	25(L) * 50(W) * 25(H) cm
SK-16-7-1	57(W) * 60(L)/83(H) to 146(H) cm
SK-16-7-3	200(W) * 150(H) cm
SK-16-7-4	100(L) * 65(W) * 70(H) cm
SK-16-7-4-a	100(L) * 65(W) * 70(H) cm

## **LEAD BARRIER**



Lead-glass viewing panel provides exceptional visibility.

• Protection : 1.76 mmpb

• Order made

SK-16-7 lead glass barrier	180(L) * 90(W) cm
Window Size:	80(L) * 90(W) cm
SK-16-7-a lead barrier	180(L) * 90(W) cm
SK-16-7-b	180(L) * 90(W) cm
Window Size:	20(L) * 30(W) cm
SK-16-7-c	180(L) * 90(W) cm
Window Size:	180(L) * 90(W) cm

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **Radiation Protection Eyewear**

Since human's eyes are more sensitive to radiation than other parts of human body, using eyewears or masks is strongly recommended for users related to the following vocations:

Fluoroscopic Procedures, Cardiac Cath, EP Labs, Urology, Interventional Radiology, Orthopedic Surgery.

- Lead Masks for Full Faces: 0.1 mm Pb
- Lead Eyewears (With Glasses / Without Glasses): 0.75 mm Pb

## Lead Masks

## SK-400PSM (PANORAMIC FACE SHIELD)



SK-400PSM

The 400PSM Panorama Shield consists of a Face Formed Radiation Protective Lead Impregnated Acrylic Shield that is suspended from a dual adjustable headpiece.

The acrylic shield can be positioned at any angle to the face so as to minimize scatter radiation from passing under the shield by side adjustable dials. The headgear is adjustable in two positions.

An adjustable headband that saddles the crown of the head while connecting at a 90 angle to an adjustable headband that surrounds the head circumference from brow to back. The circumference portion of the headband has an adjustable dial in the rear to increase or decrease the hat size for a comfortable, snug fit.

Wipe clean with a soft cloth. Abrasive materials may scratch front lens. Cannot be sterilized with high temperatures or high pressure.

♦ Weight: 350 grams

◆ Protection: .10mm Lead Acrylic

◆ Material : Acrylic/Nylon

## SK-450FPM (FULL FACE SHIELD)



SK-450FPM

The 450FPM Panorama Mask consists of a Face Formed Radiation Protective Lead Impregnated Acrylic Shield that is suspended from an adjustable headpiece.

The stationary acrylic shield extends from a headpiece brow connector for a length of 8 inches from top to bottom in front of the entire face. A support strap saddles the crown of the head while connecting at a 90 angle to an adjustable headband that surrounds the head circumference from brow to back.

The circumference portion of the headband has an adjustable strap in the rear to increase or decrease the hat size for a comfortable, snug fit. W ipe clean with a soft cloth.

Abrasive materials may scratch front lens. Cannot be sterilized with high temperatures or high pressure.

◆ Weight: 450 grams

◆ Protection: .10mm Lead Acrylic

◆ Material: Acrylic/Nylon

## Lead Eyewear (With Glasses)

## SK-RE-FUARD (Beta/Alpha)



Cocoon's Flexfit fitover is a versatile, high quality nylon frame. Featuring Flexfit technology, the fitover's temples can be benched (adjusted) easily for a secure, comfortable fit.

The large sized model is ideal for fitting over standard sized prescription eyewear with square or rounded lenses.

Blacked out side shields provide a streamlined look as well as 0.50mm lead equivalent protection.

- ◆ Weight: 108g(B) / 91g(A)
- ◆ Front Lens: 0.75mm Pb Glass
- ◆ Side Shields: 0.50mm Pb Strips
- ◆ Frame Material: Nylon
- ◆ Frame Szie: 64-18-150(B) / 69-17-145(A)
- ◆ Color: Black
- ♦ CF: Yes

## **SK-90 (90 FITOVER)**



excellent choice for those requiring protection against x-ray and liquid splashes. The large, clear side shields protect the user from lateral exposure

while eliminating the "tunnel" effects of look-alikes.

Designed to fit over prescription eyewear, model 90 fitovers are an

- ◆ Weight: 112g
- ◆ Front Lens: 0.75mmPb Glass
- ◆ Side Shields: 0.5mmPb Standard
- ◆ Frame Material: Durable Nylon
- ◆ Frame Size: 66-14-120
- ◆ Color: Matte Black
- ♦ CF: Yes



## SK-70S (70S ASTRO FLEX) (Without Glasses)





A panoramic goggle constructed of impact resistant propionate.

The frame front has molded side shielding and is fitted to the brow for increased splash protection.

The temple length and frame angle are adjustable for a uniform custom fit

Model 70S comes with Lead side shields for necessary protection from oblique angle exposure.

- ◆ Weight: 88g
- ◆ Front Lens: 0.75mm Pb Glass
- ◆ Side Shields: 0.50mm Pb Strips
- ◆ Frame Material: Propionate
- ◆ Frame Szie: 54-19-Adi
- ◆ Color: Clear/Blue
- ◆ CE: Yes

Contact to E-mail: skmeditech@skmeditech.com www.skmeditech.com

## SK-RE-9941A (9941 ULTRALITE)



The 9941 Ultralites come standard with a rubberized nose bridge.

They are designed to offer comfort and provide protection for the entire eye area without the need of additional lead side shields.

The 9941 is a popular frame and ideal for those who have a high power prescription.

Available in 2 sizes and optional adjustable nose bridge for regular sized frame.

- ◆ Weight: 64g
- ◆ Front Lens: 0.75mm Pb Glass
- ◆ Side Shields: 0.50mm Pb Strips
- ◆ Frame Material: Durable Nylon
- ◆ Frame Szie: 55-22-130
- ◆ Color: Silveer
- ◆ CE: Yes

## SK-N-BR (NIKE BRAZEN)



The Nike Brazen features an advanced ventilated nose bridge for grip, comfort, and reduced fogging.

Its lightweight nylon design combine streamlined style and enhanced comfort

The premium Nike Brazen frame offers versatility with its superior coverage and protection.

- ◆ Weight: 75g
- ◆ Front Lens: 0.75mmPb Glass
- ◆ Side Shields: 0.5mmPb Optional
- ◆ Frame Material: Durable Nylon
- ◆ Frame Size: 60-16-140
- ◆ Color: Matte Black
- ◆ CE: Yes



#### SK-RE-RAZER (RAZER)





The modern style and use of light-weight materials make the Razer an excellent choice for longprocedures.

Features: Ventilated Nose Bridge, Rubberized Temples for Grip and Comfort, Modern Matte Color Finishes, High Rx Options

- ◆ Weight: 62.5g
- ◆ Front Lens: 0.75mmPb Glass
- ◆ Side Shields: 0.5mmPb attached
- ◆ Frame Material: Polycarbonate
- ◆ Frame Size: 58-17-135
- ◆ Color: Matte Green, Matte Gray
- ◆ CE: Yes

#### Lead Free

Our lightest 0.5mm lead-free material

- ◆ Environmentally Safe
- ◆ Equivalent to 0.50mmpb at 100kVp

## **VEST-SKIRT COMBINATION**





This Vest-Skirt combination is the preferred choice for complete protection and weight distribution.

The two piece design shifts 70% of the weight directly to the hips, reducing back fatigue.

Skirt features no-slip, quick release belt for added support.

Double padded shoulders for maximum comfort.

Chest pocket standard.

(Pictured with Thyroid Tether.)

◆ Protection: .50mm front / .25mm back ◆ Closures: Velcro and Ouick-Release Buckle

VEST-SKIRT COMBINATION

APVS

## WRAP AROUND BACK RELIEF





Offering full protection, this Back Relief design transfers the weight from the shoulders to the hips with the aid of a 6" bonded elastic belt.

(See features of our Back Relief belt.)

This apron features Velcro and buckle closures, as well as a Velcro Breakaway side seam for freedom of movement.

Double padded shoulders for added comfort and a chest pocket are standard features.

◆ Protection: .50mm front / .25mm back

◆ Closures: Velcro and Quick-Release Buckle

WRAP AROUND BACK RELIEF

APWABR

APBR

#### **BACK RELIEF**





Designed to transfer the weight from the shoulders to the hips.

The apron features a unique padded belt system constructed with a bonded elasticized panel.

The stretch proof panel will not lose its shape while providing increased comfort and back support through the life of the apron.

Extra thick shoulder pads, chest pocket and shoulder strap are standard. Optional tether on shoulder strap available upon request.

◆ Protection: .50mm front

◆ Closures: Velcro and Quick Release Buckle

BACK RELIEF APBR

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

#### **FLEXBACK**





Our Flexback apron is one of the most comfortable models you'll ever wear!

Criss-crossing back panels lift the weight off the shoulders and support the lower back.

Optional shoulder strap available upon request.

Extra thick shoulder pads are standard.

Chest pocket standard.

Shown with Thyroid Collar.

◆ Protection: .50mm front ◆ Closures: Velcro

FLEXBACK APFB

#### **VEST-SKIRT FLEXBACK**





This design combines the benefits of a 2-piece apron with the support of our elasticized flexback apron.

You control the amount of back support by adjusting the Inner elasticized quick release belt.

Chest pocket standard. Shown with Page Cap.

◆ Protection: .50mm front / .25mm back

◆ Closures: Velcro and Quick - Release Buckle

VEST-SKIRT FLEXBACK APVSFB

## **BUCKLE APRON**





Quick Release Buckle Apron is user friendly with large support straps criss-crossing the back allowing proper placement.

Belt is adjustable in order to accommodate varying sizes. Chest pocket and shoulder pads are standard.

Optional shoulder strap (as shown on Back Relief APBR above) available upon request.

◆ Protection: .50mm front
◆ Closures: Ouick Release Buckle

BUCKLE APRON APBA

## FLEXBACK w/SURGICAL DROP SHOULDER





Two great aprons in one! This is the perfect choice for those who want the convenience of a Surgical Drop Apron and the comfort of our Flexback Apron.

Crisscrossing back panels transfer the weight from the shoulders and distribute it to the hips.

Lift the Velcro tabs for quick removal!

Extra thick shoulder pads and chest pocket are standard. Shown with Apron Cap.

◆ Protection: .50mm front ◆ Closures: Velcro

FLEXBACK w/SURGICAL DROP SHOULDER APFBSD

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **Non Lead Aprons**

## **SURGICAL DROP-OFF**





Fluoro done Remove your apron quickly and easily without breaking the sterile field.

Extra thick shoulder pads for added comfort. Chest pocket and hanging straps are standard.

◆ Protection: .50mm front

◆ Closures : Velcro

SURGICAL DROP-OFF APSD

#### **TIE APRON**





Our most basic apron. Easy to put on.

Ties are long enough to fit a large spectrum of sizes.

Chest pocket standard.

◆ Protection: .50mm front

◆ Closures : Ties

TIE APRON APEA

## **VELCRO ADJUSTABLE**





Crisscrossing back straps keep the shoulders from slipping off. Velcro tabs make adjustability quick and easy.

Extra thick shoulder pads, for comfort and chest pocket are standard.

◆ Protection: .50mm front

◆ Closures : Velcro

VELCRO ADJUSTABLE APVA

## **MATERNITY APRON**





This apron features an adjustable Quick Release Buckle to secure the back panel and easy ties for the front panel allowing complete adjustability during pregnancy. Velcro release shoulders makes removal easy. Apron also includes an additional .50mm equivalent panel.

You can select either the Velcro attachment to the marsupial Inner pouch or Velcro belt.

◆ Protection: .50mm front / 1.0mm(with added panel)

and .25 back

◆ Closures : Velcro

MATERNITY APRON APMA

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## XGUARD GLOVE - RR2, RR3



FREEGUARD MODEL - 1,2 LEAD FREE, LATEX FREE, POWDER FREE



Our Soft-Touch finish creates a smooth interior reducing skin irritation. Anatomically correct curved fingers reduce hand fatigue.

Sizing range from 6 to 9 in half sizes for an unequaled comfortable fit. Attenuates up to 50% more direct beam radiation than other leading products. ThInner fingertips provide enhanced tactile sensitivity.

#### **ATTENUATION**

RR-2:0.012" / 0.30 mm				
Kvp	60	90	120	
Cuff	56%	44%	37%	
Palm	57%	45%	38%	
Finger	57%	56%	38%	

RR-3: 0.024" / 0.60 mm				
Kvp	60	90	120	
Cuff	76%	63%	55%	
Palm	75%	62%	54%	
Finger	75%	62%	54%	

#### **ATTENUATION**

MODEL 1: 0.009" / 0.22 mm				
Kvp	60	90	120	
Cuff	51%	40%	34%	
Palm	55%	44%	37%	
Finger	55%	44%	37%	

MODEL 2: 0.012" / 0.30 mm				
Kvp	60	90	120	
Cuff	62%	51%	43%	
Palm	63%	51%	43%	
Finger	61%	49%	42%	

## **XGUARD SLEEVE**



#### **APRON SLEEVE**



PROGUARD Radiation Reducing Sleeve, when used in conjunction with the PROGUARD Radiation Reducing Procedure Glove creates an attenuative barrier from your fingertips to your biceps from scatter radiation.

- ◆ Inner Nitrile coating reducing proteins, antigens and irritation.
- ◆ Lightweight material reduces arm fatigue.
- ◆ Extreme flexibility does not restrict movement or dexterity.
- ◆ Available in three sizes for a comfortable fit.

ATTENUATION					
XGUARD	60 Kvp	80 Kvp	100 Kvp	120 Kvp	THICKNESS
Sleeve	55%	45%	35%	31%	0.012" - 0.30mm

BREAST SHIELD	APSTOLE
SURGICAL DROP SHOULDER	APDRSH
THYROID COLLARS	APTCO / APTCS

This optional sleeve is the perfect solution for protecting the upper arm and shoulder. Right or left sides available.

Velcro tabs allow easy attachment or removal.

Permanent attachment is also available.

Features Inner Velcro panels for custom girth adjustments.

Sleeve can also be retrofit to your existing apron.

## **BREAST SHIELD**



# SURGICAL DROP SHOULDER



## THYROID COLLARS



BREAST SHIELD	APSTOLE
SURGICAL DROP SHOULDER	APDRSH
THYROID COLLERS	APTCO / APTCS

Sung Kwang Meditech Co., Ltd

www.skmeditech.com

Contact to E-mail: skmeditech@skmeditech.com

## **Non Lead Aprons Color Swatches**

#### NYLON

Unless specified otherwise, nylons come standard 210 denier.



#### RIPSTOP




#### WIPE-AWAY VINYLS\*



## **ANTI-MICROBIAL POLYS\***

Featuring stain resistant and anti-microbial technology only available from Protech Medical. Our poly material will resist a wide variety of bacteria for several years.





Sung Kwang Meditech Co.,Ltd

www.skmeditech.com


Contact to E-mail: skmeditech@skmeditech.com

## **PRINTS** | FABRIC COLORS





Plaid - Teal





# Sung Kwang Meditech Co.,Ltd

Information or ordering call



T) 82-31-855-7548 M) 82-10-4590-7548

F) 82-31-855-7549

E) skmeditech@skmeditech.com

Address) 1014-20, Bukhansan-ro, Jangheung-myeon, Yangju-si, Gyeonggi-do, Korea Sung Kwang Meditech co.,ltd

www.skmeditech.com